
# Small Hole Drilling EDM Consumables Series



电加工配件、耗材目量 Electric processing accessomer, supplies directory



全国客服热线: 400 886 7978

## **SINCE 1997**

#### Drill Chuck & Seal Rubber for EDM Drilling Machine 小孔機鑽夾頭、密封图

## TAGUTI

Drill Chuck & Seal Rubber for EDM Drilling Machine 小孔機

| 潇毓 | 图片<br>Photo  | 品號<br>Item | 描述<br>Description               | 適用機型<br>Specification                                       | 原账编號<br>Original No |
|----|--------------|------------|---------------------------------|---|---------------------|
| 1  | 4            | E080       | 銷管夾頭上部外牙型臺創<br>Drill Chuck      | EDM Drilling Machines<br>For CASTEK<br>嘉升\亞特                |                     |
| 2  | -            | E070       | 銅管夾頭上部內牙型臺創<br>Drill Chuck      | 各廠牌皆適用<br>EDM Drilling Machines<br>鉅盟\可騰\聯盛\美溪\喬懋\<br>慶鴻\先提 |                     |
| 3  | A            | E050       | 鋼管夾頭0.3-3.0mm日制<br>Drill Chuck  | EDM Drilling Machines<br>各憲牌皆適用                             |                     |
| 4  |              | E060       | 銅管夾頭0-3.0mm日制<br>Drill Chuck    | EDM Drilling Machines<br>各廠牌皆適用                             |                     |
| 5  |              | E061       | 鋼管夾頭0-3.0mm<br>Drill Chuck      | 各廠牌皆適用<br>EDM Drilling Machines<br>鉅盟\可騰\聯盛\美溪\喬懋\<br>慶鴻\先援 |                     |
| 6  | -            | E062       | 銅管夾頭上部特殊型接頭<br>Drill Chuck      | EDM Drilling Machines                                       |                     |
| 7  | QE:          | E116       | 放電加工機眼模固定板<br>(SUS)             | EDM Drilling Machines<br>各廠講皆適用                             |                     |
| 8  | 86688<br>000 | E039       | 止水塞<br>Rubber Scal              | EDM Drilling Machines<br>各廠牌皆適用                             |                     |
| 9  |              | E040       | 止水塞<br>Rubber Seal              | EDM Drilling Machines<br>各廠牌皆適用                             |                     |
| 10 | 10           | E071       | 銷管夾頭上部為牙型                       | EDM Drilling Machines<br>金馬(寶馬)國產機皆用                        | Julio I             |
| 1  |              | E041       | 止水塞<br>Rubber Seal              | EDM Drilling Machines<br>各廠牌皆適用                             |                     |
| 2  | -            | E010       | 夠管夾頭上部牙接頭臺一專用<br>Filter Element | EDM Drilling Machines<br>For TOPEDM                         |                     |

|    | 關片    |       | 推送  | 適用機型                                |             |
|----|-------|-------|---|-------------------------------------|-------------|
|    | Photo |       | Description                               | 適用機型<br>Specification               | Original No |
| 13 |       | S140  | 打孔機眼模<br>TS Guide Set<br>中0.1-中4.0 mm     | EDM Drilling Machines<br>ForSodick  |             |
| 14 | 1     | Z140  | 打孔機眼模<br>TS Guide Set<br>中0.1-中4.0 mm     | EDM Drilling Machines<br>各廠牌皆適用     |             |
| 15 | 1     | Z140A | 打孔機眼模<br>TS Guide Set<br>Φ0.1-Φ4.0 mm     | EDM Drilling Machines<br>各廠牌皆適用     |             |
| 16 | 1     | CZ140 | 打孔機眼模<br>TS Guide Set<br>φ0.1-φ4.0 mm     | EDM Drilling Machines<br>各廠牌皆適用     |             |
| 17 |       | SZ140 | 打孔機眼模<br>TS Guide Set<br>Φ0.1-Φ4.0 mm     | EDM Drilling Machines<br>For 三光     |             |
| 18 | Í     | ZZ140 | 打孔機眼模<br>TS Guide Set<br>中0.1-中4.0 mm     | EDM Drilling Machines<br>For 中特     |             |
| 19 | 100   | S140C | 打孔機眼模<br>TS Guide Set<br>中0.1-中4.0 mm     | EDM Drilling Machines<br>For Sodick |             |
| 20 | 1.    | S140D | 打孔機眼模<br>TS Guide Set<br>Φ0.1-Φ4.0 mm     | EDM Drilling Machines<br>For Sodick |             |
| 21 |       | S140E | 打孔機眼模<br>TS Guide Set<br>ゆ0.1-ゆ4.0 mm     | EDM Drilling Machines<br>For Sodick |             |
| 22 | A     | E011  | 過濾器                                       | EDM Drilling Machines<br>各種機型皆用     |             |
| 23 |       | E018  | 電極銅管<br>黄銅管適用于熱處理之鋼鐵類加工<br>紅銅管適用于鎢鋼類及紅銅加工 | EDM Drilling Machines<br>各種機型皆用     |             |

| distant of the | 100  | skel | t High | Ľ  |
|----------------|------|------|--------|----|
| 历火             | 44.6 | w.   | e in   | l. |



### ■打孔機服模 電極銅管





打孔機眼模有多種形式及材料:

- A:尖頭過用于較小孔之加工,容易對準加工物之中 心點.(0.1-1.0mm用) C:平頭8 總長度30mm,為一般型(0.1-3.0mm用) T:平頭總長度25mm,可使銅管使用率增加5mm,加
- 工物厚度高出5mm

D:平頭12 總長度30mm,適用于大孔徑之銅管(0.31-6.5mm用) L:平頭12 總長度80mm,適用于段差模具加工(0.3-6.5mm用) PS:其余尺寸歡迎訂做.

|              | ſ |
|--------------|---|
|              |   |
| all a second |   |

單孔電極管



多孔電極管

#### 1:黃銅管適用于熱處理之鋼鐵類加工 2:紅銅管適用于鎢鋼類及紅銅加工

| 品    | 名     | 規格     | 種類    | 品名     | 3 規    | 格   | 種類  | 品     | 名   | 規格        | 種舞 |
|------|-------|--------|-------|--------|--------|-----|-----|-------|-----|-----------|----|
| Z140 | -0.1  | 0.1mm  | T,A,C | Z140-2 | .3 2.3 | mm  | T,C | Z140- | 4.5 | 4.5mm     | D  |
| Z140 | -0.13 | 0.13mm | T,A,C | Z140-2 | .4 2.4 | mm  | T,C | Z140- | 4.6 | 4.6mm     | D  |
| Z140 | -0.15 | 0.15mm | T,A,C | Z140-2 | .5 2.5 | mm  | T,C | Z140- | 4.7 | 4.7mm     | D  |
| Z140 | -0.2  | 0.2mm  | T,A,C | Z140-2 | .6 2.6 | mm  | T,C | Z140- | 4.8 | 4.8mm     | D  |
| Z140 | -0.3  | 0.3mm  | T,A,C | Z140-2 | .7 2.7 | 'nm | T,C | Z140- | 4.9 | 4.9mm     | D  |
| Z140 | -0.4  | 0.4mm  | T,A,C | Z140-2 | .8 2.8 | mm  | T,C | Z140- | 5.0 | 5.0mm     | D  |
| Z140 | -0.5  | 0.5mm  | T,A,C | Z140-2 | .9 2.9 | mm  | T,C | Z140- | 5.1 | 5.1mm     | D  |
| Z140 | -0.6  | 0.6mm  | T,A,C | Z140-3 | .0 3.0 | mm  | T,C | Z140- | 5.2 | 5.2mm     | D  |
| Z140 | -0.7  | 0.7mm  | T,A,C | Z140-3 | .1 3.1 | mm  | D   | Z140- | 5.3 | 5.3mm     | D  |
| Z140 | -0.8  | 0.8mm  | T,A,C | Z140-3 | .2 3.2 | ?mm | D   | Z140- | 5.4 | 5.4mm     | D  |
| Z140 | -0.9  | 0.9mm  | T,A,C | Z140-3 | .3 3.3 | mm  | D   | Z140- | 5.5 | 5.5mm     | D  |
| Z140 | -1.0  | 1.0mm  | T,C   | Z140-3 | .4 3.4 | mm  | D   | Z140- | 5.6 | 5.6mm     | D  |
| Z140 | -1.1  | 1.1mm  | T,C   | Z140-3 | .5 3.5 | imm | D   | Z140- | 5.7 | 5.7mm     | D  |
| Z140 | -1.2  | 1.2mm  | T,C   | Z140-3 | .6 3.6 | mm  | D   | Z140- | 5.8 | 5.8mm     | D  |
| Z140 | -1.3  | 1.3mm  | T,C   | Z140-3 | .7 3.7 | 'nm | D   | Z140- | 5.9 | 5.9mm     | D  |
| Z140 | -1.4  | 1.4mm  | T,C   | Z140-3 | .8 3.8 | mm  | D   | Z140- | 6.0 | 6.0mm     | D  |
| Z140 | -1.5  | 1.5mm  | T,C   | Z140-3 | .9 3.9 | mm  | D   | Z140- | 6.1 | 6.1mm     | D  |
| Z140 | -1.6  | 1.6mm  | T,C   | Z140-4 | .0 4.0 | mm  | D   | Z140- | 6.2 | 6.2mm     | D  |
| Z140 | -1.7  | 1.7mm  | T,C   | Z140-4 | .1 4.1 | mm  | D   | Z140- | 6.3 | 6.3mm     | D  |
| Z140 | -1.8  | 1.8mm  | T,C   | Z140-4 | .2 4.2 | mm  | D   | Z140- | 6.4 | 6.4mm     | D  |
| Z140 | -1.9  | 1.9mm  | T,C   | Z140-4 | .3 4.3 | mm  | D   | Z140- | 6.5 | 6.5mm     | D  |
| Z140 | -2.0  | 2.0mm  | T,C   | Z140-4 | .4 4.4 | mm  | D   |       |     | -104 - 20 |    |
| Z140 | -2.1  | 2.1mm  | T,C   |        |        |     |     |       |     |           |    |
| Z140 | -2.2  | 2.2mm  | T,C   |        |        |     |     |       |     |           |    |





# Small Hole Drilling **EDM** Consumables Series



www.kledm.com



Suzhou Kelon Institute of Applied Technology Add:Workshop 6, No.9, Huayuan Road, Suzhou, China Email: edm-china@hotmail.com zhanglei@kledm.com



www.filter-supplier.com

Suzhou TAGUTI Filter co.Ltd. Add: Yinghu Industrial Park, Xinlang North Road, Wangting, Suzhou, China Email: taguti@filter-supplier.com sales@filter-supplier.com

